

SATAjet® 100 B™



German Engineering

Spray Guns | Cup Systems | Breathing Protection | Air Filtration | Accessories



Specialists In Their Profession

- Primer spray guns with low overspray
- Minimal sanding effort
- Extremely smooth material application

SATAjet 100 B – Unmatched for the Application of Primer Materials

Prep materials such as **primer, filler and spray putty** fulfill an important function within the paint process. Therefore, particular attention must be paid to the application of these materials, using a dedicated primer gun.

The wide nozzle range of the SATAjet 100 B allows to perfectly apply all sorts of prep materials. The fine atomisation and wide spray fan of the SATAjet 100 B help achieve **even material distribution**, thus saving expensive labour time due to much reduced sanding effort.

The SATAjet 100 B F RP is an extremely versatile spray gun allowing to adjust the atomisation pressure very flexibly. From spot repair to large surfaces – starting from a **gun inlet pressure of 0.5 bar**, this primer gun can be adjusted in a way which allows to repair even small areas economically with extremely low overspray.

Highly elaborated details:

- Smoothly polished, ergonomically optimised gun body
- Self-tensioning packings
- Air micrometer for atomisation air adjustment (SATAjet 100 B F HVLP/RP)
- Material flow control with locking nut
- Round/flat spray control for single-hand operation
- CCS clips for individual marking
- QCC cup connection (bayonet)

The appropriate solution for every professional

According to his technique, the object and the material, the painter has the choice between the "Super Saver" SATAjet 100 B F HVLP and the "Super Speed" SATAjet 100 B F RP. Both versions (HVLP low pressure and RP optimised high pressure/compliant technology) achieve transfer rates exceeding 65 %.

Both guns perfectly lend themselves for the application of waterborne as well as solvent-based primer materials.

The SATAjet 100 B P is specially designed for the application of polyester spray putty/filler and is indispensable for creating high film builds along with a sharp-edged fan.

SATAjet 100 B F					SATAjet 100 B P
Nozzle size	HVLP	1,4	1,7	1,9	2,1
	RP	1,4	1,6	1,8	2,0
Primer spray gun cpl. with 0.6 l QCC PVC reusable cup		146373	145722	145730	145748
		146969	145193	145201	145219
Nozzle set		146381	145417	145425	145433
		146977	145250	145268	145276
					145185
					145284

Air Consumption SATAjet 100 B F HVLP: 350 NI/min at 2 bar

Air Consumption SATAjet 100 B F RP: 290 NI/min at 2 bar

Air Consumption SATAjet 100 B P: 245 NI/min at 2 bar

Your SATA dealer



SATA GmbH & Co. KG
 Domertalstr. 20
 70806 Kornwestheim
 Germany
 Tel. +49 7154 811-200
 Fax +49 7154 811-194
 E-Mail: export@sata.com
 www.sata.com